
Watson - Form

Release 1.1.0

September 30, 2014

1	Build Status	3
2	Installation	5
3	Testing	7
4	Contributing	9
5	Table of Contents	11
5.1	Usage	11
5.2	Reference Library	15
	Python Module Index	21

Make working with HTML forms more tolerable.

Build Status

Installation

```
pip install watson-form
```

Testing

Watson can be tested with `pytest`. Simply activate your `virtualenv` and run `python setup.py test`.

Contributing

If you would like to contribute to Watson, please feel free to issue a pull request via Github with the associated tests for your code. Your name will be added to the AUTHORS file under contributors.

Table of Contents

5.1 Usage

Note: Examples below are from when watson-form is being used within watson-framework. Feel free to ignore references to watson.framework if you are not using it in that capacity.

Forms are defined in a declarative way within Watson. This means that you only need to define fields you want without any other boilerplate code.

```
from watson import form
from watson.form import fields

class Login(form.Form):
    username = fields.Text(label='Username')
    password = fields.Password(label='Password')
    submit = fields.Submit(value='Login', button_mode=True)
```

Which when implemented in a view would output:

```
<html>
  <body>
    <form>
      <label for="username">Username</label><input type="text" name="username" />
      <label for="password">Password</label><input type="text" name="password" />
      <button type="submit">Login</button>
    </form>
  </body>
</html>
```

5.1.1 Field types

Fields are referenced by their HTML element name. Whenever a field is defined within a form any additional keyword arguments are used as attributes on the element itself. Current fields that are included are:

Field	Output
Input	<input type="" />
Button	<button></button>
Textarea	<textarea></textarea>
Select	<select></select>

There are also a bunch of convenience classes as well which may add additional validators and filters to the field.

Field	Output
Input	<code><input type="" /></code>
Radio	<code><input type="radio" /></code>
Checkbox	<code><input type="checkbox" /></code>
Text	<code><input type="text" /></code>
Date	<code><input type="date" /></code>
Email	<code><input type="email" /></code>
Hidden	<code><input type="hidden" /></code>
Csrf	<code><input type="csrf" /></code>
Password	<code><input type="password" /></code>
File	<code><input type="file" /></code>
Submit	<code><input type="submit" /></code> or <code><button>Submit</button></code>

These can all be imported from the `watson.form.fields` module.

5.1.2 Populating and binding objects to a form

Form data can be populated with any standard Python dict.

```
form = forms.Login()
form.data = {'username': 'Simon'}
```

These values can then be retrieved by:

```
form.username.value # Simon
```

If the field has been through the validation/filter process, you can still retrieve the original value that was submitted by:

```
form.username.original_value # Simon
```

Binding an object to the form

Sometimes it's worth being able to bind an object to the form so that any posted data can automatically be injected into the object. This is a relatively simple task to achieve:

Object entities

```
class User(object):
    username = None
    password = None
    email = None
```

Edit user form

```
from watson import form
from watson.form import fields

class User(forms.Form):
    username = fields.Text(label='Username')
    password = fields.Password(label='Password')
    email = fields.Email(label='Email Address')
```

Controller responsible for saving the user

```
from watson.framework import controllers
from app import forms
```



```
class Login(controllers.Rest):
    def POST(self):
        user = User()
        form = forms.User('user')
        form.bind(user)
        form.data = self.request.post
        if form.is_valid():
            user.save() # save the updated user data
```

When `is_valid()` is called the POST'd data will be injected directly into the User object. While this is great for simple CRUD interfaces, things can get more complex when an object contains other objects. To resolve this we have to define a mapping to map the flat post data to the various objects (we only need to define the mapping for data that isn't a direct mapping).

A basic mapping consists of a dict of key/value pairs where the value is a tuple that denotes the object 'tree'.

```
mapping = {
    'field_name': ('attribute', 'attribute', 'attribute')
}
```

We'll take the same example from above, but modify it slightly so that our User object now also contains a Contact object (note that some of this code such as the entities would be handled automatically by your ORM of choice).

Object entities

```
class User(object):
    username = None
    password = None
    contact = None

    def __init__(self):
        self.contact = Contact()

class Contact(object):
    email = None
    phone = None
```

Edit user form

```
from watson import form
from watson.form import fields

class User(forms.Form):
    username = fields.Text(label='Username')
    password = fields.Password(label='Password')
    email = fields.Email(label='Email Address')
    phone = fields.Email(label='Phone Number')
```

Controller responsible for saving the user

```
from watson.framework import controllers
from app import forms

class Login(controllers.Rest):
    def POST(self):
        user = User()
        form = forms.User('user')
        form.bind(user, mapping={'email': ('contact', 'email'), 'phone': ('contact', 'phone')})
        form.data = self.request.post
```

```
if form.is_valid():
    user.save() # save the updated user data
```

5.1.3 Filters and Validators

Filters and validators allow you to sanitize and modify your data prior to being used within your application. By default, all fields have the Trim filter which removes whitespace from the value of the field.

Note: Filters and Validators are from watson-filters and watson-validators respectively.

When the `is_valid()` method is called on the form each field is filtered, and then validated.

To add new validators and filters to a field you simply add them as a keyword argument to the field definition.

```
from watson import form
from watson.form import fields
from watson import validators

class Login(form.Form):
    username = fields.Text(label='Username', validators=[validators.Length(min=10)])
    password = fields.Password(label='Password', validators=[validators.Required()])
    # required can actually be set via required=True
    submit = fields.Submit(value='Login', button_mode=True)
```

For a full list of validators and filters check out filters and validators in the reference library.

5.1.4 Validating post data

Validating forms is usually done within a controller. We'll utilize the Login form above to demonstrate this...

```
from watson.framework import controllers
from app import forms

class Login(controllers.Rest):
    def GET(self):
        form = forms.Login('login_form', action='/login')
        form.data = self.redirect_vars
        # populate the form with POST'd data to avoid the PRG issue
        # we don't really need to do this
        return {
            'form': form
        }

    def POST(self):
        form = forms.Login('login_form')
        form.data = self.request.post
        if form.is_valid():
            self.flash_messages.add('Successfully logged in')
            self.redirect('home')
        else:
            self.redirect('login')
```

With the above code, when a user hits `/login`, they are presented with a login form from the GET method of the controller. As they submit the form, the code within the POST method will execute. If the form is valid, then they will be redirected to whatever the 'home' route displays, otherwise they will be redirected back to the GET method again.

Errors upon validating

When `is_valid()` is called, all fields will be filtered and validated, and any subsequent error messages will be available via `form.errors`.

5.1.5 Protecting against CSRF (Cross site request forgery)

Cross site request forgery is a big issue with a lot of code bases. Watson provides a simple way to protect your users against it by using a decorator.

```
from watson import form
from watson.form import fields
from watson.form.decorators import has_csrf

@has_csrf
class Login(form.Form):
    username = fields.Text(label='Username')
    password = fields.Password(label='Password')
    submit = fields.Submit(value='Login', button_mode=True)
```

The above code will automatically add a new field (named `csrf_token`) to the form, which then will need to be rendered in your view. You will also need to pass the session into the form when it is instantiated so that the csrf token can be saved against the form.

```
from watson.framework import controllers
from app import forms

class Login(controllers.Rest):
    def GET(self):
        form = forms.Login('login_form', action='/login', session=self.request.session)
        form.data = self.redirect_vars
        return {
            'form': form
        }
```

As the form is validated (via `is_valid()`), the token will automatically be processed against the csrf validator.

5.2 Reference Library

5.2.1 watson.form.decorators

`watson.form.decorators.has_csrf(cls)`

Adds csrf protection to the form.

Adds a new field named `'csrf_token'` to the form and overrides the `set_data` method to retrieve the correct token.

If a form is csrf protected then a session object must be passed to the `__init__` method so that a token can be created (if not already).

Example:

```
@has_csrf
class MyForm(Form):
    username = fields.Text(required=True)
    password = fields.Password(required=True)
```

5.2.2 watson.form.fields

class watson.form.fields.**Button**(name=None, value=None, label=None, label_attrs=None, **kwargs)

Creates a button, can be used instead of `Input(type="button")`.

class watson.form.fields.**Checkbox**(name=None, values=None, value=None, **kwargs)

Creates a checkbox input.

Example:

```
field = Checkbox(name='test', label='My Radio Options', values=((('Test', 1), ('Testing', 2))))
str(field)
```

```
<fieldset>
  <legend>My Checkbox Options</legend>
  <label for="test_0">Test<input id="test_0" name="test" type="checkbox" /></label>
  <label for="test_1">Testing<input id="test_1" name="test" type="checkbox" /></label>
</fieldset>
```

```
field = Checkbox(name='test', label='My Checkbox', values=1)
str(field)=None
```

```
<label for="test"><input type="checkbox" name="test" value="1" />My Checkbox</label>
```

__init__(name=None, values=None, value=None, **kwargs)

Initializes the checkbox.

If a value is specified, then that value out of the available values will be checked. If multiple values are specified, then a checkbox group will be created.

Parameters

- **name** (*string*) – the name of the field
- **values** (*tuple|list*) – the values to be used
- **value** (*mixed*) – the value for the field

class watson.form.fields.**Csrf**(name='csrf_token', value=None, **kwargs)

Creates an `<input type="hidden" />` element for use in csrf protection.

__init__(name='csrf_token', value=None, **kwargs)

class watson.form.fields.**Date**(name=None, value=None, format='%Y-%m-%d', **kwargs)

Creates an `<input type="date" />` element.

__init__(name=None, value=None, format='%Y-%m-%d', **kwargs)

render(**kwargs)

Format the date in the format the HTML5 spec requires.

class watson.form.fields.**Email**(name=None, value=None, **kwargs)

Creates an `<input type="email" />` element.

__init__(name=None, value=None, **kwargs)

class watson.form.fields.**FieldMixin**(name=None, value=None, label=None, label_attrs=None, **kwargs)

A mixin that can be used as a base to simplify the creation of fields.

label

watson.form.fields.Label

the label associated with the field

html
string
 the html used to render the field

validators
list
 the validators that will be used to validate the value

filters
list
 the filters that will be used prior to validation

__init__ (*name=None, value=None, label=None, label_attrs=None, **kwargs*)
 Initializes the field with a specific name.

filter ()
 Filter the value on the field based on the associated filters.
 Set the *original_value* of the field to the first value stored. Note, if this is called a second time, then the original value will be overridden.

name
 Convenience method to retrieve the name of the field.

original_value
 Return the original value for the field.

render_with_label ()
 Render the field with the label attached.

validate ()
 Validate the value of the field against the associated validators.
Returns A list of errors that have occurred when the field has been validated.

value
 Return the value for the field.
 If the field has been cleaned, the original value can be retrieved with `FieldMixin.original_value`.

class `watson.form.fields.GroupInputMixin` (*name=None, values=None, value=None, **kwargs*)
 A mixin for form elements that are used in a group.
 Related form elements are wrapped in a fieldset, with a common legend.
__init__ (*name=None, values=None, value=None, **kwargs*)
has_multiple_elements ()
 Determine whether or not a field has multiple elements.

class `watson.form.fields.Hidden` (*name=None, value=None, **kwargs*)
 Creates an `<input type="hidden" />` element.
__init__ (*name=None, value=None, **kwargs*)

class `watson.form.fields.Input` (*name=None, value=None, label=None, label_attrs=None, **kwargs*)
 Creates an `<input>` field.
 Custom input types can be created by sending `type='type'` through the `__init__` method.
 Example:

```
input = Input(type='text') # <input type="text" />
```

render (**kwargs)

Render the element as html.

Does not need to be called directly, as will be called by `__str__` natively.

render_with_label (**kwargs)

Render the element as html and include the label.

Output the element and prepend the `<label>` to it.

class `watson.form.fields.Label` (*text*, **kwargs)

A `<label>` tag which can be automatically included with fields.

html

string

the html used to render the label

text

string

the text associated with the label

__init__ (*text*, **kwargs)

class `watson.form.fields.Password` (*name=None*, *value=None*, **kwargs)

Creates an `<input type="password" />` element.

__init__ (*name=None*, *value=None*, **kwargs)

class `watson.form.fields.Radio` (*name=None*, *values=None*, *value=None*, **kwargs)

Creates a radio input.

Example:

```
field = Radio(name='test', label='My Radio Options', values=(( 'Test', 1), ( 'Testing', 2)))
str(field)
```

```
<fieldset>
```

```
  <legend>My Radio Options</legend>
```

```
  <label for="test_0">Test<input id="test_0" name="test" type="radio" value="1" /></label>
```

```
  <label for="test_1">Testing<input id="test_1" name="test" type="radio" value="2" /></label>
```

```
</fieldset>
```

```
field = Radio(name='test', label='My Radio', values=1)
```

```
str(field)
```

```
<label for="test"><input type="radio" name="test" value="1" />My Radio</label>
```

__init__ (*name=None*, *values=None*, *value=None*, **kwargs)

Initializes the radio.

If a value is specified, then that value out of the available values will be checked. If multiple values are specified, then a radio group will be created.

class `watson.form.fields.Select` (*name=None*, *options=None*, *value=None*, *multiple=False*, **kwargs)

Creates a select field.

html

string

the html for the outer select element

option_html

string

the individual option html element

optgroup_html

string

the optgroup html element

options

list|dict

the options available

__init__ (*name=None, options=None, value=None, multiple=False, **kwargs*)

Initializes the select field.

If the options passed through are a dict, and the value of each key is a list or tuple, then an optgroup will be rendered, using the key as the label for the optgroup.

Parameters

- **name** (*string*) – the name of the field
- **options** (*list|dict*) – the options available
- **value** (*string*) – the selected value
- **multiple** (*bool*) – whether or not to allow multiple selections

Example:

```
field = Select(name='test', options=collections.OrderedDict([('Group One', [1, 2]), ('Group Two', [3, 4])])
str(field)
```

```
<select name="test">
  <optgroup label="Group One">
    <option value="1">1</option>
  </optgroup>
  <optgroup label="Group Two">
    <option value="2">2</option>
  </optgroup>
</select>
```

class watson.form.fields.**Submit** (*name=None, value=None, button_mode=False, **kwargs*)

Creates a submit input.

button_mode

bool

whether or not to render as <button> or <input>

__init__ (*name=None, value=None, button_mode=False, **kwargs*)

class watson.form.fields.**Text** (*name=None, value=None, **kwargs*)

Creates an <input type="text" /> element.

__init__ (*name=None, value=None, **kwargs*)

class watson.form.fields.**Textarea** (*name=None, value=None, label=None, label_attrs=None, **kwargs*)

Creates a textarea field.

5.2.3 watson.form.types

W

`watson.form.decorators`, [15](#)

`watson.form.fields`, [16](#)